



# 7.1 Adding and Subtracting Polynomials


**Essential Question** How can you add and subtract polynomials?

## EXPLORATION 1 Adding Polynomials

**Work with a partner.** Write the expression modeled by the algebra tiles in each step.

**Step 1**   $(3x + 2) + (x - 5)$

**Step 2** 

**Step 3** 

**Step 4** 


## EXPLORATION 2 Subtracting Polynomials

**Work with a partner.** Write the expression modeled by the algebra tiles in each step.

**Step 1**   $(x^2 + 2x + 2) - (x - 1)$

**Step 2** 

**Step 3** 

**Step 4** 

**Step 5** 

### REASONING ABSTRACTLY

To be proficient in math, you need to represent a given situation using symbols.

## Communicate Your Answer

- How can you add and subtract polynomials?
- Use your methods in Question 3 to find each sum or difference.
  - $(x^2 + 2x - 1) + (2x^2 - 2x + 1)$
  - $(4x + 3) + (x - 2)$
  - $(x^2 + 2) - (3x^2 + 2x + 5)$
  - $(2x - 3x) - (x^2 - 2x + 4)$

# 7.1 Lesson

## Core Vocabulary

monomial, p. 358  
degree of a monomial, p. 358  
polynomial, p. 359  
binomial, p. 359  
trinomial, p. 359  
degree of a polynomial, p. 359  
standard form, p. 359  
leading coefficient, p. 359  
closed, p. 360

## What You Will Learn

- ▶ Find the degrees of monomials.
- ▶ Classify polynomials.
- ▶ Add and subtract polynomials.
- ▶ Solve real-life problems.

## Finding the Degrees of Monomials

A **monomial** is a number, a variable, or the product of a number and one or more variables with whole number exponents.

The **degree of a monomial** is the sum of the exponents of the variables in the monomial. The degree of a nonzero constant term is 0. The constant 0 does not have a degree.

Monomial	Degree	Not a monomial	Reason
10	0	$5 + x$	A sum is not a monomial.
$3x$	1	$\frac{2}{n}$	A monomial cannot have a variable in the denominator.
$\frac{1}{2}ab^2$	$1 + 2 = 3$	$4^a$	A monomial cannot have a variable exponent.
$-1.8m^5$	5	$x^{-1}$	The variable must have a whole number exponent.

### EXAMPLE 1

### Finding the Degrees of Monomials

Find the degree of each monomial.

- a.  $5x^2$                       b.  $-\frac{1}{2}xy^3$                       c.  $8x^3y^3$                       d.  $-3$

### SOLUTION

- a. The exponent of  $x$  is 2.  
▶ So, the degree of the monomial is 2.
- b. The exponent of  $x$  is 1, and the exponent of  $y$  is 3.  
▶ So, the degree of the monomial is  $1 + 3$ , or 4.
- c. The exponent of  $x$  is 3, and the exponent of  $y$  is 3.  
▶ So, the degree of the monomial is  $3 + 3$ , or 6.
- d. You can rewrite  $-3$  as  $-3x^0$ .  
▶ So, the degree of the monomial is 0.

## Monitoring Progress



Help in English and Spanish at [BigIdeasMath.com](http://BigIdeasMath.com)

Find the degree of the monomial.

1.  $-3x^4$                       2.  $7c^3d^2$                       3.  $\frac{5}{3}y$                       4.  $-20.5$

## Classifying Polynomials

### Core Concept

#### Polynomials

A **polynomial** is a monomial or a sum of monomials. Each monomial is called a *term* of the polynomial. A polynomial with two terms is a **binomial**. A polynomial with three terms is a **trinomial**.


Binomial

$$5x + 2$$

Trinomial

$$x^2 + 5x + 2$$

The **degree of a polynomial** is the greatest degree of its terms. A polynomial in one variable is in **standard form** when the exponents of the terms decrease from left to right. When you write a polynomial in standard form, the coefficient of the first term is the **leading coefficient**.




#### EXAMPLE 2

#### Writing a Polynomial in Standard Form

Write  $15x - x^3 + 3$  in standard form. Identify the degree and leading coefficient of the polynomial.

#### SOLUTION

Consider the degree of each term of the polynomial.



▶ You can write the polynomial in standard form as  $-x^3 + 15x + 3$ . The greatest degree is 3, so the degree of the polynomial is 3, and the leading coefficient is  $-1$ .

#### EXAMPLE 3

#### Classifying Polynomials

Write each polynomial in standard form. Identify the degree and classify each polynomial by the number of terms.

a.  $-3z^4$

b.  $4 + 5x^2 - x$

c.  $8q + q^5$

#### SOLUTION

Polynomial	Standard Form	Degree	Type of Polynomial
a. $-3z^4$	$-3z^4$	4	monomial
b. $4 + 5x^2 - x$	$5x^2 - x + 4$	2	trinomial
c. $8q + q^5$	$q^5 + 8q$	5	binomial

#### Monitoring Progress



Help in English and Spanish at [BigIdeasMath.com](http://BigIdeasMath.com)

Write the polynomial in standard form. Identify the degree and leading coefficient of the polynomial. Then classify the polynomial by the number of terms.

5.  $4 - 9z$

6.  $t^2 - t^3 - 10t$

7.  $2.8x + x^3$

## Adding and Subtracting Polynomials

A set of numbers is **closed** under an operation when the operation performed on any two numbers in the set results in a number that is also in the set. For example, the set of integers is closed under addition, subtraction, and multiplication. This means that if  $a$  and  $b$  are two integers, then  $a + b$ ,  $a - b$ , and  $ab$  are also integers.

The set of polynomials is closed under addition and subtraction. So, the sum or difference of any two polynomials is also a polynomial.

To add polynomials, add like terms. You can use a vertical or a horizontal format.

### EXAMPLE 4 Adding Polynomials

Find the sum.

a.  $(2x^3 - 5x^2 + x) + (2x^2 + x^3 - 1)$       b.  $(3x^2 + x - 6) + (x^2 + 4x + 10)$

#### SOLUTION

a. **Vertical format:** Align like terms vertically and add.

$$\begin{array}{r} 2x^3 - 5x^2 + x \\ + \quad x^3 + 2x^2 \quad - 1 \\ \hline 3x^3 - 3x^2 + x - 1 \end{array}$$

▶ The sum is  $3x^3 - 3x^2 + x - 1$ .

b. **Horizontal format:** Group like terms and simplify.

$$\begin{aligned} (3x^2 + x - 6) + (x^2 + 4x + 10) &= (3x^2 + x^2) + (x + 4x) + (-6 + 10) \\ &= 4x^2 + 5x + 4 \end{aligned}$$

▶ The sum is  $4x^2 + 5x + 4$ .

To subtract a polynomial, add its opposite. To find the opposite of a polynomial, multiply each of its terms by  $-1$ .

### EXAMPLE 5 Subtracting Polynomials

Find the difference.

a.  $(4n^2 + 5) - (-2n^2 + 2n - 4)$       b.  $(4x^2 - 3x + 5) - (3x^2 - x - 8)$

#### SOLUTION

a. **Vertical format:** Align like terms vertically and subtract.

$$\begin{array}{r} 4n^2 \quad + 5 \\ - (-2n^2 + 2n - 4) \quad \rightarrow + \quad 2n^2 - 2n + 4 \\ \hline 6n^2 - 2n + 9 \end{array}$$

▶ The difference is  $6n^2 - 2n + 9$ .

b. **Horizontal format:** Group like terms and simplify.

$$\begin{aligned} (4x^2 - 3x + 5) - (3x^2 - x - 8) &= 4x^2 - 3x + 5 - 3x^2 + x + 8 \\ &= (4x^2 - 3x^2) + (-3x + x) + (5 + 8) \\ &= x^2 - 2x + 13 \end{aligned}$$

▶ The difference is  $x^2 - 2x + 13$ .

### STUDY TIP

When a power of the variable appears in one polynomial but not the other, leave a space in that column, or write the term with a coefficient of 0.



### COMMON ERROR

Remember to multiply *each* term of the polynomial by  $-1$  when you write the subtraction as addition.



Find the sum or difference.

8.  $(b - 10) + (4b - 3)$

9.  $(x^2 - x - 2) + (7x^2 - x)$


10.  $(p^2 + p + 3) - (-4p^2 - p + 3)$

11.  $(-k + 5) - (3k^2 - 6)$

## Solving Real-Life Problems

### EXAMPLE 6 Solving a Real-Life Problem

A penny is thrown straight down from a height of 200 feet. At the same time, a paintbrush is dropped from a height of 100 feet. The polynomials represent the heights (in feet) of the objects after  $t$  seconds.



- Write a polynomial that represents the distance between the penny and the paintbrush after  $t$  seconds.
- Interpret the coefficients of the polynomial in part (a).

### SOLUTION

- To find the distance between the objects after  $t$  seconds, subtract the polynomials.

$$\begin{array}{r}
 \text{Penny} \quad -16t^2 - 40t + 200 \\
 \text{Paintbrush} \quad -(-16t^2 + 100) \quad \rightarrow \quad + 16t^2 - 100 \\
 \hline
 \phantom{\text{Paintbrush}} \quad \quad \quad -40t + 100
 \end{array}$$

- ▶ The polynomial  $-40t + 100$  represents the distance between the objects after  $t$  seconds.
- When  $t = 0$ , the distance between the objects is  $-40(0) + 100 = 100$  feet. So, the constant term 100 represents the distance between the penny and the paintbrush when both objects begin to fall.

As the value of  $t$  increases by 1, the value of  $-40t + 100$  decreases by 40. This means that the objects become 40 feet closer to each other each second. So,  $-40$  represents the amount that the distance between the objects changes each second.

- WHAT IF?** The polynomial  $-16t^2 - 25t + 200$  represents the height of the penny after  $t$  seconds.
  - Write a polynomial that represents the distance between the penny and the paintbrush after  $t$  seconds.
  - Interpret the coefficients of the polynomial in part (a).

### Vocabulary and Core Concept Check

- VOCABULARY** When is a polynomial in one variable in standard form?
- OPEN-ENDED** Write a trinomial in one variable of degree 5 in standard form.
- VOCABULARY** How can you determine whether a set of numbers is closed under an operation?
- WHICH ONE DOESN'T BELONG?** Which expression does *not* belong with the other three? Explain your reasoning.

$$a^3 + 4a$$

$$x^2 - 8x$$

$$b - 2^{-1}$$

$$-\frac{\pi}{3} + 6y^8z$$

### Monitoring Progress and Modeling with Mathematics

In Exercises 5–12, find the degree of the monomial.  
(See Example 1.)

- |                |                   |
|----------------|-------------------|
| 5. $4g$        | 6. $23x^4$        |
| 7. $-1.75k^2$  | 8. $-\frac{4}{9}$ |
| 9. $s^8t$      | 10. $8m^2n^4$     |
| 11. $9xy^3z^7$ | 12. $-3q^4rs^6$   |

In Exercises 13–20, write the polynomial in standard form. Identify the degree and leading coefficient of the polynomial. Then classify the polynomial by the number of terms. (See Examples 2 and 3.)

- |                                       |                        |
|---------------------------------------|------------------------|
| 13. $6c^2 + 2c^4 - c$                 | 14. $4w^{11} - w^{12}$ |
| 15. $7 + 3p^2$                        | 16. $8d - 2 - 4d^3$    |
| 17. $3t^8$                            | 18. $5z + 2z^3 + 3z^4$ |
| 19. $\pi r^2 - \frac{5}{7}r^8 + 2r^5$ | 20. $\sqrt{7}n^4$      |

21. **MODELING WITH MATHEMATICS** The expression  $\frac{4}{3}\pi r^3$  represents the volume of a sphere with radius  $r$ . Why is this expression a monomial? What is its degree?



22. **MODELING WITH MATHEMATICS** The amount of money you have after investing \$400 for 8 years and \$600 for 6 years at the same interest rate is represented by  $400x^8 + 600x^6$ , where  $x$  is the growth factor. Classify the polynomial by the number of terms. What is its degree?

In Exercises 23–30, find the sum. (See Example 4.)

- $(5y + 4) + (-2y + 6)$
- $(-8x - 12) + (9x + 4)$
- $(2n^2 - 5n - 6) + (-n^2 - 3n + 11)$
- $(-3p^3 + 5p^2 - 2p) + (-p^3 - 8p^2 - 15p)$
- $(3g^2 - g) + (3g^2 - 8g + 4)$
- $(9r^2 + 4r - 7) + (3r^2 - 3r)$
- $(4a - a^3 - 3) + (2a^3 - 5a^2 + 8)$
- $(s^3 - 2s - 9) + (2s^2 - 6s^3 + s)$

In Exercises 31–38, find the difference. (See Example 5.)

- $(d - 9) - (3d - 1)$
- $(6x + 9) - (7x + 1)$
- $(y^2 - 4y + 9) - (3y^2 - 6y - 9)$
- $(4m^2 - m + 2) - (-3m^2 + 10m + 4)$
- $(k^3 - 7k + 2) - (k^2 - 12)$
- $(-r - 10) - (-4r^3 + r^2 + 7r)$

37.  $(t^4 - t^2 + t) - (12 - 9t^2 - 7t)$
38.  $(4d - 6d^3 + 3d^2) - (10d^3 + 7d - 2)$

**ERROR ANALYSIS** In Exercises 39 and 40, describe and correct the error in finding the sum or difference.

39.

$$\begin{aligned} (x^2 + x) - (2x^2 - 3x) &= x^2 + x - 2x^2 - 3x \\ &= (x^2 - 2x^2) + (x - 3x) \\ &= -x^2 - 2x \end{aligned}$$

40.

$$\begin{array}{r} x^3 - 4x^2 + 3 \\ + -3x^3 + 8x - 2 \\ \hline -2x^3 + 4x^2 + 1 \end{array}$$

41. **MODELING WITH MATHEMATICS** The cost (in dollars) of making  $b$  bracelets is represented by  $4 + 5b$ . The cost (in dollars) of making  $b$  necklaces is represented by  $8b + 6$ . Write a polynomial that represents how much more it costs to make  $b$  necklaces than  $b$  bracelets.



42. **MODELING WITH MATHEMATICS** The number of individual memberships at a fitness center in  $m$  months is represented by  $142 + 12m$ . The number of family memberships at the fitness center in  $m$  months is represented by  $52 + 6m$ . Write a polynomial that represents the total number of memberships at the fitness center.

In Exercises 43–46, find the sum or difference.

43.  $(2s^2 - 5st - t^2) - (s^2 + 7st - t^2)$
44.  $(a^2 - 3ab + 2b^2) + (-4a^2 + 5ab - b^2)$
45.  $(c^2 - 6d^2) + (c^2 - 2cd + 2d^2)$
46.  $(-x^2 + 9xy) - (x^2 + 6xy - 8y^2)$


**REASONING** In Exercises 47–50, complete the statement with *always*, *sometimes*, or *never*. Explain your reasoning.

47. The terms of a polynomial are \_\_\_\_\_ monomials.


48. The difference of two trinomials is \_\_\_\_\_ a trinomial.
49. A binomial is \_\_\_\_\_ a polynomial of degree 2.
50. The sum of two polynomials is \_\_\_\_\_ a polynomial.

**MODELING WITH MATHEMATICS** The polynomial  $-16t^2 + v_0t + s_0$  represents the height (in feet) of an object, where  $v_0$  is the initial vertical velocity (in feet per second),  $s_0$  is the initial height of the object (in feet), and  $t$  is the time (in seconds). In Exercises 51 and 52, write a polynomial that represents the height of the object. Then find the height of the object after 1 second.


51. You throw a water balloon from a building.



52. You bounce a tennis ball on a racket.



53. **MODELING WITH MATHEMATICS** You drop a ball from a height of 98 feet. At the same time, your friend throws a ball upward. The polynomials represent the heights (in feet) of the balls after  $t$  seconds. (See Example 6.)



- a. Write a polynomial that represents the distance between your ball and your friend's ball after  $t$  seconds.
- b. Interpret the coefficients of the polynomial in part (a).

54. **MODELING WITH MATHEMATICS** During a 7-year period, the amounts (in millions of dollars) spent each year on buying new vehicles  $N$  and used vehicles  $U$  by United States residents are modeled by the equations

$$N = -0.028t^3 + 0.06t^2 + 0.1t + 17$$


$$U = -0.38t^2 + 1.5t + 42$$

where  $t = 1$  represents the first year in the 7-year period.


- Write a polynomial that represents the total amount spent each year on buying new and used vehicles in the 7-year period.
- How much is spent on buying new and used vehicles in the fifth year?

55. **MATHEMATICAL CONNECTIONS**

Write the polynomial in standard form that represents the perimeter of the quadrilateral.



56. **HOW DO YOU SEE IT?** The right side of the equation of each line is a polynomial.




- The absolute value of the difference of the two polynomials represents the vertical distance between points on the lines with the same  $x$ -value. Write this expression.
  - When does the expression in part (a) equal 0? How does this value relate to the graph?
57. **MAKING AN ARGUMENT** Your friend says that when adding polynomials, the order in which you add does not matter. Is your friend correct? Explain.

58. **THOUGHT PROVOKING** Write two polynomials whose sum is  $x^2$  and whose difference is 1.


59. **REASONING** Determine whether the set is closed under the given operation. Explain.

- the set of negative integers; multiplication
- the set of whole numbers; addition

60. **PROBLEM SOLVING** You are building a multi-level deck.



- For each level, write a polynomial in standard form that represents the area of that level. Then write the polynomial in standard form that represents the total area of the deck.
  - What is the total area of the deck when  $x = 20$ ?
  - A gallon of deck sealant covers 400 square feet. How many gallons of sealant do you need to cover the deck in part (b) once? Explain.
61. **PROBLEM SOLVING** A hotel installs a new swimming pool and a new hot tub.



- Write the polynomial in standard form that represents the area of the patio.
- The patio will cost \$10 per square foot. Determine the cost of the patio when  $x = 9$ .

## Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Simplify the expression. (*Skills Review Handbook*)

62.  $2(x - 1) + 3(x + 2)$

63.  $8(4y - 3) + 2(y - 5)$

64.  $5(2r + 1) - 3(-4r + 2)$